



Combo Buckets – A Versatile Combination

The Gar-Bro Combo Bucket is a vertical front bucket with a plate-type lifting bail, forklift pockets, and the Double Clamshell Gate as standard features. The exclusive slide-on attachments feature easy removal and installation of versatile accessories for a range of concrete placement solutions. Gar-Bro Combo buckets will handle concrete with up to 1-inch aggregate and slumps of 4 inches or greater. Additional details and parts information available at WWW.GARBRO.COM/COMBO.HTM.


item No.	Rated Capacity Cubic Yards	Loading Height Inches	Overall Suspended Height	CL to CL Forkpockets Inches	Outside Dimensions Inches	Weight Pounds
4911	1∕3	38	48	35	38 x 43	380
4914	1/2	43	52	35	38 x 43	390
4920	3/4	51	61	35	38 x 43	430
4928	1	56	66	35	43 x 43	500
*4940	1 ½	62	71	53	61 x 64	830
*4958	2	67	76	53	61 x 64	945
*4983	3	80	90	53	61 x 64	1,120

*Forkpocket spacing may require wide carriage on machine to accommodate bucket.



Jamieson Equipment Company www.jamiesonequipment.com toll free 800.875.0280

Combo Buckets Attachments




Side Chute for side discharge of concrete in forms, against walls, etc.



or VD-8 Vertical Discharge Chute attachment allows placement of concrete in forms and minimizes segregation due to free-fall.

Items LRSC and CSSC Long Side Chutes divert concrete discharge toward the front of the bucket.




Item GAC-4 grouting attachment for placement of grout in confined places.

Note: The GAG-4 requires grout with a slump greater than 10 inches and aggregate sizes of less than 1/4 inch.

The Combo Bucket's exclusive slide-on attachment feature allows easy removal and installation of several accessories which enhance the versatility of the combo bucket.

> Jamieson Equipment Company www.jamiesonequipment.com toll free 800.875.0280



Jamieson Equipment Company www.jamiesonequipment.com toll free 800.875.0280